


<b>32.14567.010 000</b>	<b>(14567 U10) Traverse</b> for mounting of wind sensors e. g. BASIC (145x4), INDUSTRY (145x7), PROFESSIONAL (1452x)
<b>32.14565.019 000</b>	<b>(14565 U19) Lightning rod</b> for traverse (14565 U17)
<b>on request</b>	<b>(1462...) 10-meter-masts for weather stations complete with traverses and accessories</b> GFK mast stainless steel mast aluminium telescope further types and heights available on request
<b>00.14622.200 000</b>	<b>(1462 S22) Steel tripod</b> is the basis of a small weather station, especially for mobile outdoor applications incl. traverse for humidity-/ temperature- and radiation sensors
<b>00.15180.400 000</b>	<b>(1518 S4) Assembly mast</b> for sensors (1518H3) and (15188) · 1.2 m
<b>00.15180.400 010</b>	<b>(1518 S4a) Assembly mast</b> with support for the filament transformer (1518 T)
<b>00.15180.800 000</b>	<b>(1518 S8) Concrete foundation mast (no figure)</b> for sensors (15188) · 650 mm · Ø 60 mm · measuring height 1 m
<b>00.15180.800 030</b>	<b>(1518 S8c) Concrete foundation mast (no figure)</b> for sensors (15188H...) · 650 mm · Ø 60 mm · measuring height 1 m · with support for the fila- ment transformer (1518 T)
<b>00.15180.800 010</b>	<b>(1518 S8a) Concrete foundation mast (no figure)</b> for sensors (1518H3) · 570 mm · Ø 60 mm · measuring height 1 m · with support for the fila- ment transformer (1518 T)



Further traverses and masts with different heights and accessories on request.